Front Page
> Breaking News
> Today's Digest
> Week in Review
> Email Updates
> **RSS** Newsfeed

News Sections
> Health & Medicine
> Mind & Brain
> Plants & Animals
> Space & Time
> Earth & Climate
> Matter & Energy
> Computers & Math
> Fossils & Ruins

Science Topics
> Agriculture
> Astronomy
> Biology
> Chemistry
> Earth Sciences
> Environment
> Mathematics
> Physics
> Social Sciences
> Technology
> ***more topics***

Health Topics
> Aging
> Diseases
> Fitness
> Medicine
> Men's Health
> Mental Health
> Nutrition
> Reproduction
> Senses
> Women's Health
> ***more topics***

Computing
> Artificial Intell.
> Communications
> Computer Science
> Graphics
> Human Interface
> Internet
> Robotics
> Security
> Supercomputing
> Virtual Reality
> ***more topics***

Encyclopedia
> Agriculture
> Anthropology
> Archaeology
> Astronomy
> Biology
> Chemistry
> Communication
> Computing
> Earth Science
> Engineering
> Health Science
> Mathematics
> Physics
> Psychology
> Technology
> ***science topics***
> ***medical topics***

Science Shop
Books ...
> Science
> Mind & Body
> Engineering
> Computers etc.
> Outdoors & Nature
> Prof'l & Technical
> Reference
Magazines ...
> Science & Nature
> Health & Fitness
> Engineering
> Computers etc.
> Electronics etc.
More ...
> Electronics
> Computers
> Video Games
> Outdoor Living
> Camera & Photo
> Tools & Hardware
> Toys & Games

Source: Institute Of Physics

Date: 2005-02-01

Print this page
Email to friend

Physicists Discover Temperature Key To Avalanche Movement

100 years after Einstein's landmark work on Brownian motion, physicists have discovered a new concept of temperature that could be the key to explaining how ice and snow particles flow during an avalanche, and could also lead to a better way of handling tablets in the pharmaceutical industry. This research is reported today in a special Einstein Year issue of the New Journal of Physics (www.njp.org) published jointly by the Institute of Physics and the German Physical Society (Deutsche Physikalische Gesellschaft).

Everything from powdery snow to desert sands, from salt to corn flakes are granular materials. Physicists have known for many years that granular materials have many perplexing properties that make them behave at times like solids, liquids, and even gases. This new research reveals for the first time how to measure a concept called "granular temperature" – that could be the key to explaining how they behave.

"Take the solid snow covering a ski slope, for instance", suggests lead author of the paper Patrick Mayor of the EPFL in Lausanne, Switzerland. "While it stays still it is a solid, but as soon as it starts flowing downhill as happens during an avalanche the flowing material is behaving more like a liquid. Similarly, during a desert storm, sand grains are whipped up and behave like molecules in a gas, rather than as a solid".

"Whereas most materials are usually described as solid, liquid or gases, granular systems do not seem to fall into any of these categories and are often considered a separate state of matter of their own," says Mayor, "The diverse behaviour of granular materials makes it extremely difficult to establish a general theory that accounts for the observed phenomena."

Mayor and his colleagues, Gianfranco D'Anna, Alain Barrat, Vittorio Loreto, have shown that shaken granular matter behaves in a way related to Einstein's theory of Brownian motion, first published in 1905.

The temperature of an object reflects the random motion of its constituent parts. For instance, the faster the molecules in a gas or liquid are moving around the higher the temperature of the material.

Temperature also measures the degree of agitation of molecules in a liquid or a gas. Mayor and his colleagues have now devised a thermometer that can measure the temperature of a granular material based on the degree of agitation of its component particles. The researchers also discovered that, unlike usual liquids, temperature varies depending on which way and how far they insert the "thermometer" into the granular material.

Being able to measure "granular temperature" might allow researchers to better understand the peculiar properties of a granular material, which is of crucial importance to industries that handle powders and particulate materials from pharmaceutical pills and food powders to sand and cement in the construction

Related News Stories

Optical Tweezers To Prove Einstein Right (February 1, 2005) -- 100 years after Einstein's landmark paper, optical tweezer technology could confirm the theory of classical Brownian motion in details that Einstein missed when he first proposed it a century ... > *full story*

Researchers Will No Longer Be 'Snowed' In Predicting Future Avalanches (February 21, 2003) -- The recent deaths of 14 Canadian skiers in two separate snow avalanches in British Columbia have increased attention on safety issues, but some U.S. scientists are turning their focus elsewhere -- to ... > *full story*

Colorado Most Dangerous State In Nation For Avalanche Fatalities (December 29, 1999) -- Two Colorado avalanches in December that apparently claimed the lives of two Boulder County men are a somber reminder of the risks that hikers, skiers, snowboarders and snowmobilers face in the ... > *full story*

Putting Randomness To Work: Unique Form Of Nanoscale Random Motion May Drive Key Cellular Functions (June 20, 2001) -- New research into the activity of a key "motor" protein suggests that a unique form of random motion powered by thermal energy may play a vital role in moving enzymes and other chemicals ... > *full story*

> more *related stories*

Related sections: Matter & Energy, Earth & Climate

Search Our Archives
Find:
in: All News Section
from: 1995 to 2004
sort: relevance date
Go
> more

New Job Postings
Find:
City:
State: ALL Search
View: All Jobs by
Post: Jobs / Resumes

About This Site
> Editorial Staff
> Awards & Reviews
> Contribute News
> Advertise With Us
> Privacy Policy

industry.

Editor's Note: The original news release can be found here.

This story has been adapted from a news release issued by Institute Of Physics.