

Is Web Content a Good Proxy for Real-Life Interaction?

A Case Study Considering Online and Offline Interactions of Computer Scientists

Mark Kibanov, Martin Atzmueller,
Jens Illig, Christoph Scholz
KDE Group, ITeG, University of Kassel
Wilhelmshöher Allee 73
34121 Kassel, Germany
{kibanov, atzmueller, illig,
scholz}@cs.uni-kassel.de

Alain Barrat
Aix Marseille Université
Université de Toulon
CNRS, CPT, UMR 7332
13288 Marseille, France
alain.barrat@cpt.univ-mrs.fr

Ciro Cattuto
Data Science Laboratory
ISI Foundation
via Alassio 11/c
10126 Torino, Italy
ciro.cattuto@isi.it

Gerd Stumme
KDE Group, ITeG
University of Kassel
Wilhelmshöher Allee 73
34121 Kassel, Germany
stumme@cs.uni-kassel.de

Abstract—Today, many people spend a lot of time online. Their social interactions captured in *online* social networks are an important part of the overall personal social profile, in addition to interactions taking place *offline*. This paper investigates whether relations captured by online social networks can be used as a proxy for the relations in offline social networks, such as networks of human face-to-face (F2F) proximity and coauthorship networks. Particularly, the paper focuses on interactions of computer scientists in online settings (homepages, social networks profiles and connections) and offline settings (scientific collaboration, face-to-face communications during the conferences). We focus on quantitative studies: we investigate the structural similarities and correlations of the induced networks; in addition, we analyze implications between networks. Finally, we provide a qualitative user analysis to find characteristics of good and bad proxies.

I. INTRODUCTION

With the success of the Web and the rise of social media, many people spend a significant fraction of time online. This is particularly the case in academia, as online activities can correspond both to work-related and private social networking. Online social relationship can then represent a significant share of an individual's *social profile*, in addition to the interactions that take place *offline*, e. g., when meeting friends, during a face-to-face conversation, etc. So far, the analysis of online social networks has received significant attention in the research community, while studies on offline interactions at large scale, e. g., focusing on networks of face-to-face proximity, has only been taken up recently. Studying human behavior using social media comes with caveats [28]: e. g., the responses of social media users differ from public opinion measured by surveys [25]. Therefore, detailed investigations of the connection between individuals' offline and online interactions are needed. However, to the best of the authors' knowledge, a combined analysis focusing on inter-relations and implications between these different information sources has not been addressed before.

This paper aims to start filling this gap by analyzing *online* and *offline* social networks and published content of computer scientists who visited particular conferences. In particular, we investigate whether information from various online sources

can be used as a proxy for the offline world. In order to answer this question, we proceed in three steps focusing on structural similarity, correlation, and implication of offline and online data. Basically, we investigate data structures and central parameters that are important for many applications, for example, for finding central actors, opportunistic forwarding, and for generating recommendations.

For conducting our analysis and experiments, we investigate different online and offline datasets concerning computer scientists: we collected face-to-face interactions that took place during computer science conferences, i. e., at LWA 2010 [4], LWA 2011 [32], LWA 2012 [9] – organized by the German computer science society – and during ACM Hypertext 2011 [11]. Specifically, by providing the CONFERATOR system [2], [3] at these conferences we obtained offline interactions given by networks of human face-to-face proximity utilizing RFID-technology developed by the SocioPatterns consortium. We also utilized a number of online resources and collected further data about the participants of these conferences: the content (full texts, abstracts, and titles) of their papers, the coauthorship networks based on DBLP information, their Research Gate profiles, and finally content from their homepages.

For determining if (and when) online content is a good proxy for the offline world, we take a view on different aspects and aim to answer the following research questions:

- 1) Are there strong *structural* similarities and *correlations* between the considered online and offline social networks w.r.t. link structure? (*Q1*)
- 2) Can we identify *implications* between online and offline networks and content? (i. e., concerning link structure and link importance, rankings, and (textual) content) (*Q2*)
- 3) Can we *characterize* classes of actors for which their online connections act as good proxies for their offline interactions, i. e., derive specific conditions using network parameters and properties of these actors? (*Q3*)

Our results indicate that online and offline datasets show some proxy relations but there are also specific structural differences. Specifically, strong ties seem to correlate more than weak ones

and “important persons” tend to keep their high rank from the online to the offline worlds. However, these correlations are often not strong enough for conclusions on the offline world using online data in all cases.

The rest of the paper is structured as follows. Section II discusses related work. Then, we introduce basic definitions and concepts in Section III. After that, we describe our datasets in Section IV. Section V discusses the results of our experiments. Finally, Section VI concludes the paper with a summary and promising options for future work.

II. RELATED WORK

The analysis of online and offline information, e. g., on-line social networks, co-authorship networks, co-location and networks of human face-to-face proximity is an interesting and challenging task in social network analysis and mining. Concerning human face-to-face contacts, the SocioPatterns collaboration developed an infrastructure that detects close-range and face-to-face proximity of individuals wearing RFID tags. This infrastructure has been deployed in various environments for studying the dynamics of human contacts, e. g., at conferences [5], [13], [23], in schools [26], [33], museums [19] and workplaces [12], [30]. [5] analyzes the interactions and dynamics of the behavior of participants at conferences; the connection between research interests, roles and academic jobs of conference attendees is further analyzed in [23]. We extend these analysis focusing on offline *and* online information. Link relations and their prediction using different datasets (particularly, face-to-face contacts and DBLP data) is further analyzed in [14]. Also, [12], [30], [31] analyze survey data and networks of face-to-face proximity. A first analysis of online and offline networks has been performed in [8], however, focusing on the direction from offline to online data. In contrast, we focus on the reverse – investigating the use of online data as a proxy for offline interactions. Moreover, we extend the previous research made using face-to-face proximity data and discuss new insights about similarity of offline and online networks.

Further research has been done to identify the interdependence of offline and online information and its possible applications. [36] investigates different methods of identification of finding real-life contacts based on Twitter data. [34] investigates social networking of emerging adults’ and the relation between online and offline social networks (collected using self-report surveys). Further works consider the task of predicting friendship links in online social networks, e. g., given locations of users from social networks [16], or from time- and geo-tagged photos from users [15]. [18] infers friendship network structure (collected using surveys) by using mobile phone data. In contrast to these approaches, this paper focuses on the analysis of structural similarity, inter-relations, dependencies and implications between online and offline social networks. Specifically, we investigate whether the information captured by online social networks can be considered as a valid proxy for offline interactions, i. e., face-to-face proximity networks and scientific collaboration.

III. BACKGROUND

In the following, we summarize basic definitions and concepts used throughout the paper.

A. Graphs

An (undirected) *graph* $G = (V, E)$ is an ordered pair, consisting of a finite set V containing the *vertices/nodes*, and a set E of *edges/connections/links* between the vertices, with $n := |V|$, $m := |E|$. A graph is undirected iff $(i, j) \in E \Rightarrow (j, i) \in E$. We represent a (social) *network* as a graph. A *weighted* graph is a graph $G = (V, E)$ together with a function $w : E \rightarrow \mathbb{R}^+$ that assigns a positive weight to each edge. For the *adjacency matrix* $A \in \mathbb{R}^{n \times n}$ with $n = |V|$ holds $A_{ij} = 1$ ($A_{ij} = w(i, j)$) iff $(i, j) \in E$ for $i, j \in V$, assuming a bijection from $1, \dots, n$ to V .

The density $dens(G)$ of a graph G is the ratio of the number of edges and the number of possible edges, cf. [17]: $dens(G) = \frac{|E|}{\binom{n}{2}}$. The *degree* $deg(i)$ of a node i in a network is the number of connections it has to other nodes, i. e., $deg(i) := |\{j \mid A_{ij} = 1\}|$. In weighted networks, we complement the degree of a node i by its strength $s(i) = \sum_j A_{ij}$, i. e., the sum of the weights of the attached edges. The Eigenvector centrality (EV-centrality) [10] of a node is an important measure of its influence. The EV-centrality of node depends on the eigenvectors of its neighbors: a node is central, if it has many central neighbors. EV-centrality $eig(i)$ of a node i is defined as follows: $eig(i) = \lambda \sum_j A_{ij} eig(j)$, where λ is a constant.

B. Comparing Graph Structures

Besides standard statistical measures of correlation and ranking, e. g., [29], we apply measures and tests commonly used in social network analysis for comparing graph structures:

- Jaccard Coefficient: For two Graphs $G_1 = (V_1, E_1)$ and $G_2 = (V_2, E_2)$ with $V_1 = V_2$, the Jaccard coefficient J of the set of edges E_1 and E_2 is computed as follows: $J(E_1, E_2) = \frac{|E_1 \cap E_2|}{|E_1 \cup E_2|}$.
- QAP test: The quadratic assignment procedure (QAP) test is a standard approach for comparing two graphs G_1 and G_2 ; it is based on estimating the correlation of the respective adjacency matrices [21]. QAP tests a given graph level statistic, for example the graph covariance, against a QAP null hypothesis. QAP compares the observed graph correlation of (G_1, G_2) to the distribution of the respective resulting correlation scores obtained on repeated random row/column permutations (corresponding to reshuffling of nodes) of the adjacency matrix of G_2 .

C. Bag-of-Words Model

For measuring the semantic similarity of pairs of documents (e. g., web pages or scientific papers) – and thus of their authors – in Section V-B3, we make use of the vector space model (bag-of-words-model) of Information Retrieval [24]. Each term of the corpus gives rise to one dimension of a high-dimensional vector space. After applied stemming each document d is represented by a vector \vec{v} , which at the dimension assigned to term t carries the value $\text{tf-idf}(d, t) := \text{tf}(d, t) \cdot \log \frac{N}{d(t)}$ with $\text{tf}(d, t) = \frac{f(d, t)}{\max_{t'} f(d, t')}$, $f(d, t)$ being the number of occurrences of t in d , N being the total number of documents, and $d(t)$ being the number of documents containing t at least once. The semantic similarity of two documents d_1 and d_2 is then measured by the cosine similarity $\text{cosim}(d_1, d_2) := \cos \angle(\vec{v}_1, \vec{v}_2) := \frac{\vec{v}_1 \cdot \vec{v}_2}{\|\vec{v}_1\|_2 \cdot \|\vec{v}_2\|_2}$.

D. Subgroup Discovery

Subgroup discovery, e. g., [1], [7], [35], aims at identifying subgroups of individuals (in our case actors in a social network, cf. Section V-C) that are *interesting* with respect to a certain target concept. For a binary target concept, for example, we are interested in large subgroups with a high share of individuals for which the target concept is true, e. g., indicating online linking behavior of certain actors (individuals).

A *database* $D = (I, A)$ is given by a set of individuals I and a set of attributes A . For nominal attributes, a *basic pattern* ($a_i = v_j$) is a Boolean function $I \rightarrow \{0, 1\}$ that is true if the value of attribute $a_i \in A$ is equal to v_j for the respective individual. The set of all basic patterns is denoted by Σ . A *subgroup description* or (complex) *pattern* P is given by a set of basic patterns $P = \{p_1, \dots, p_l\}$, $p_i \in \Sigma$, $i = 1, \dots, l$, interpreted as a conjunction $p_1 \wedge \dots \wedge p_l$, with $\text{length}(P) = l$. A pattern can thus also be interpreted as the *body* of a *rule*. The rule *head* then depends on the property of interest, e. g., for a binary target concept T on a basic pattern $\text{sel}_T = \text{true}$. A *subgroup* $S_P := \text{ext}(P) := \{i \in I | P(i) = \text{true}\}$, is the set of all individuals that are covered by the subgroup description P . In a top- k setting, a subgroup discovery algorithm returns the top- k subgroups according to a selectable interestingness measure $q: 2^\Sigma \rightarrow \mathbb{R}$, cf. [1]. For a binary target concept, e. g., the size $n := \text{ext}(P)$ of a subgroup described by the pattern P , i. e., its *support*, and the share t_P of the target concept in the subgroup, i. e., its *confidence*, are combined by the interestingness measures q_S as follows: $q_S(P) = n \cdot (t_P - t_0)$, where t_0 denotes the (default) share of the target concept in the database D , or by the *Lift* quality function $q_L(P) = \frac{t_P}{t_0}$.

IV. DATASETS

We distinguish the data on two dimensions: First, we consider *online* and *offline* networks, as well as *online* and *offline* content data: We define online data as the data that were not available before the existence of the world wide web (WWW). In this paper, we use two online datasets: the ResearchGate network and homepages of computer scientists. In contrast, offline data represents connections and content whose existence do not specifically depend on the WWW, even if they can be enhanced by WWW-mediated communication now: for that, we consider face-to-face (F2F) interactions during academic conferences and scientific publications. The presented online data was collected from November 2014 till January 2015. The DBLP data was collected in January 2015. Second, we distinguish between *network data* (face-to-face interactions, follower relations in ResearchGate and scientific publications coauthorship) and *content data* (content of scientific publications, content of homepages and different attributes in ResearchGate system).

A. Offline: Face-to-Face Proximity

At the LWA 2010, LWA 2011, LWA 2012 conferences (organized by the German Computer Science Society) as well as the ACM Hypertext 2011 conference, we invited participants to wear active RFID devices (*proximity tags*) that can detect the close-range (about 1.5 meters) face-to-face proximity of the individuals wearing them. This allows us to map out time-resolved networks of face-to-face contacts among the conference attendees.

As in [13], we record a face-to-face contact when the length of a contact is at least 20 seconds. A contact ends when the proximity tags do not detect each other for more than 60 seconds. For more information about the proximity sensing technology, we refer the reader to the web site of SocioPatterns¹. Table I shows high-level statistics of the collected datasets. The duration of each LWA conference was three days, while the Hypertext conference took four days.

TABLE I: High level statistics for the F2F networks: Number of nodes $|V|$ and edges $|E|$, average degree and strength (weighted degree; an edge $e = (u, v) \in E$ is weighted by the aggregated duration of all contacts between $u, v \in V$), diameter d , and density.

Network	$ V $	$ E $	$\emptyset\text{Deg.}$	$\emptyset\text{Str.}$	d	Density
LWA 10	77	1004	26.08	20797.22	3	0.34
LWA 11	42	300	14.29	11655.24	3	0.35
LWA 12	44	354	16.09	14673.32	3	0.37
HT 11	69	550	15.94	8224.75	4	0.23

B. Offline: Scientific Publications

We collected all data from the DBLP co-authorship network² in order to determine subgraphs for conference participants. Furthermore, we also retrieved some additional data, e. g., the number of coauthors.

Moreover, we created a corpus of published papers for all 102 persons, who had at least one observed face-to-face (F2F) contact and a ResearchGate profile. We consider all publications listed on a person’s DBLP page. For that, we stored paper titles and, when available, also abstracts and full-texts. In total, we retrieved 4 466 titles, 2 420 abstracts and 2 604 full-texts of 95 of the 102 persons.

In our subsequent analysis using the publication data, we focus on the set of 66 persons, for whom we were able to extract at least one full-text, at least one abstract and at least one title. For these 66 persons, the dataset contains 1 997 full-texts, 1 858 abstracts and 3 461 titles in total.

C. Online: Homepages

We searched for the homepages of researchers using the Google search engine, using first names and surnames (and the name of the institution if it was necessary) as search terms. The institution name was usually available from the conference proceedings. If researchers had changed their place of work since the conference, we tried to identify both the previous and the current homepages (if available). We considered two languages for the homepages, English and German, since the LWA workshops are visited mainly by German scientists. The Google PageRank was collected for the identified homepages using the Google API. We also used the API of Readability service³ to extract the page content. This service parses the webpages and uses the modified arc90 algorithm⁴ to identify the main content of the page.

¹<http://www.sociopatterns.org>

²<http://dblp.uni-trier.de>

³<https://readability.com/developers/api>

⁴<https://code.google.com/p/arc90labs-readability/>

TABLE II: Count of items (nodes) in different networks and datasets overall and for particular conferences conferences: F2F – Face-to-face networks; RG – ResearchGate account (RG* – at least one discipline); DBLP – DBLP entry, P – persons with full-text papers, abstracts, and titles; HP – persons whose homepages were identified (and total number of homepages – some persons have websites in different languages or from different institutions).

	F2F	RG	RG*	DBLP	HP	RG∩HP	RG∩DBLP	DBLP∩HP	RG∩DBLP∩HP	RG*∩HP∩P
LWA 2010	77	50	39	55	56 (79)	42	41	51	39	36
LWA 2011	42	26	21	37	38 (49)	25	26	35	25	20
LWA 2012	44	25	23	29	39 (47)	25	17	28	17	22
HT 2011	69	31	19	54	52 (71)	26	28	44	24	15
Overall	189	102	74	135	145 (199)	88	82	118	75	66

D. Online: ResearchGate

Similarly to DBLP, we searched for ResearchGate-profiles of the scientists and used the native built-in ResearchGate search engine for this purpose. We collected the publicly available profile information of the found users (e. g., institution, department), including information that can be considered as user ranking information (e. g., RG-Score, number of profile views etc.), information about their research (disciplines, topics and skills of users) and lists of their followers and followees.

E. Data intersection

Overall more than half of the considered conference participants have a ResearchGate account (102 out of 189) and over two-thirds of them have DBLP entries (135 out of 189) and identified homepages (145 out of 190), cf. Table II. The total number of identified pages is 199 as some researchers have pages in different languages or from different institutions. Almost 40% of all researchers have all three items (ResearchGate account, homepage and DBLP entry).

In order to conduct the experiments for inter-network comparisons, we filtered the data, obtaining a *core network* representation. Given two networks and their graph representations $G_1 = (V_1, E_1)$ and $G_2 = (V_2, E_2)$, the core network for the G_1 network is represented by graph $G_1^* = (V_1^*, E_1^*)$, where $V_1^* = \{v \in V_1 | (v, u) \in E_2, u \in V_1\}$ and $E_1^* = \{(v, u) | (v, u) \in E_1, v, u \in V_1^*\}$. Therefore, we removed all nodes that are not active in one of the networks, e. g., some conference participants who have ResearchGate accounts but do not have any connections with other conference participants in this online network are not included in the core network of the conference considering the ResearchGate network.

V. ANALYSIS

In our analysis below, we focus on the three research questions introduced above, i. e., concerning structural similarities and correlation, implications between online and offline, and the characterization of good proxies.

A. Structure and Correlation (Q1)

For answering the first question Q1, we investigate structural similarities of the online and offline data, comparing global network and edge properties. As expected, face-to-face networks are much denser than the other network sources, cf. Tables I). So we used different contact thresholds (i. e., we kept only links if the duration of at least one face-to-face contact was longer than the considered threshold) to decrease

TABLE III: Networks size and density dependent on conversation threshold for different conferences.

		F2F-Threshold (in sec):		
		20:	180:	300:
LWA 2010	V	77	74	72
	dens(G)	0.34	0.15	0.11
LWA 2011	V	42	39	39
	dens(G)	0.35	0.15	0.10
LWA 2012	V	44	42	38
	dens(G)	0.37	0.17	0.14
HT 2011	V	69	61	58
	dens(G)	0.23	0.09	0.08

TABLE IV: Network correlation analysis: Jaccard coefficient and results of QAP test for pairs of offline (Face-to-face proximity and DBLP-coauthorship) and online networks (ResearchGate) of participants of different conferences. Three thresholds for face-to-face proximity networks were considered: 20, 180 and 300 seconds. Values marked with “*” and “**” are significant at $p \leq 0.001$ and $p \leq 0.05$, respectively.**

		F2F – RG			DBLP – RG
		F2F-Threshold (in sec):			
		20:	180:	300:	
LWA 2010	Jac	0.14	0.22	0.20	0.37
	QAP	0.29***	0.24**	0.24**	0.59**
LWA 2011	Jac	0.23	0.31	0.32	0.44
	QAP	0.45***	0.33**	0.29*	0.51**
LWA 2012	Jac	0.15	0.20	0.26	0.15
	QAP	0.24**	0.21*	0.26**	0.60**
HT 2011	Jac	0.08	0.16	0.15	0.30
	QAP	0.22**	0.12	0.15	0.77**

the density, as described in [20], cf. Table III. The number of active nodes decreased not significant in each case.

We compared the Jaccard coefficients of the offline and the online network’s cores regarding the edges, cf. Table IV. Moreover, we considered three different minimal contact thresholds for the face-to-face networks. We observe the trend, that the Jaccard similarity is higher for larger minimal contact thresholds, which may point to the fact that stronger ties in offline networks are better mapped in online networks. However, the values of the respective Jaccard coefficients range from 0.15 to 0.32, which does not seem sufficient to state that the two types of networks are very strongly correlated. This is also confirmed by the QAP-test analysis: while almost all correlations are significant, the correlation values themselves are only in a medium range, best for LWA 2010, worst for HT 2011. Furthermore, the Jaccard coefficient between the DBLP coauthorship network and the RG network is in most cases higher than between the face-to-face proximity

and RG networks. This confirms the previous observation that the stronger the connection between two persons, the more likely the presence of the corresponding online connection; obviously, a coauthorship link represents a stronger connection than a conversation during a conference.

The answer to question Q1 can be summarized as follows: there exist structural similarities and correlations between offline and online networks. These similarities are much stronger if we consider DBLP instead of the face-to-face networks. Nevertheless, online data tends to act as a better proxy for stronger ties in the face-to-face network compared to all face-to-face interactions. This indicates that strong offline connections are more likely to be represented in online networks than weaker ones. Also, in the offline world, paper coauthorship, for example, is obviously a stronger connection than a conversation during a conference.

B. Implications – Online vs. Offline (Q2)

We investigate implications between networks, focusing on the recurrence of edges of one network in another network, rankings, and the predictability of offline links given online content.

1) *Implication between Sets of Edges:* The implication of edges between different networks helps in further understanding the networks’ nature, cf. Table V. The probability that two persons who are linked in ResearchGate also talk to each other during the LWA conference was pretty high – above 80% (69% for the Hypertext 2011 conference). The probability of two persons who are linked in ResearchGate being coauthors as well is very high – over 30% (with one exception: 15% for LWA 2012 conference). In contrast, having a short conversation during the conference does not increase the chance for a link in the online world – the probability is below 24%. However, the longer the conversation is, the higher is the probability of the online link – up to 44% (for LWA 2011). The probability of a RG link between two persons in case they coauthored at least one paper is pretty high – 43% in average, up to 55% (for LWA 2010).

TABLE V: Implications: the probability of a link between two nodes in one network if it exists in another for offline (F2F and DBLP coauthorship) and online networks (ResearchGate) of participants of different conferences. We considered three contact thresholds (20, 180 and 300 seconds) for the F2F networks.

		F2F – RG			DBLP – RG
		F2F-Threshold (in sec):			
		20:	180:	300:	
LWA 2010	←	0.84	0.63	0.49	0.41
	→	0.14	0.25	0.26	0.55
LWA 2011	←	0.81	0.65	0.52	0.45
	→	0.24	0.37	0.44	0.53
LWA 2012	←	0.83	0.55	0.55	0.15
	→	0.16	0.24	0.32	0.31
HT 2011	←	0.69	0.53	0.38	0.30
	→	0.09	0.19	0.2	0.42

2) *Matching of Rankings:* We aim to determine if the hierarchies of different online and offline worlds match each other. To answer this question we identify different features which reflect the “importance” or “influence” of persons in

different worlds and compare the resulting ranks afterwards. As different datasets represent different type of activities and have different nature, we identified different ranking strategies depending on networks properties:

- **Face-to-face networks:** the participants were ranked according to their eigenvector-centrality (cf. III-A) in each conference (graph); in case the person took part in more than one conference, the maximal EV-centrality was used.
- **DBLP:** the persons with DBLP entries were ranked according to the number of their coauthors; the number of coauthors correlates with the number of publications and is a good sign of collaboration and visibility of a scientist.
- **ResearchGate:** ResearchGate profiles were ranked according to their RG-Score⁵ – a metric created by the ResearchGate network to compute scientific reputation, based on three parameters: contribution, interaction and reputation.
- **Homepages:** The homepages of scientists were ranked according to their homepages’ Google PageRank; if researchers have different homepages, the one with the highest PageRank value was chosen.

First, we computed the node rank correlation for all network pairs. The DBLP, ResearchGate and Homepage ranks correlate pairwise and the correlation is significant at $p \leq 0.001$, cf. Table VI. The largest of all correlations is the correlation between the ResearchGate RG-Score and the DBLP number of coauthors: 0.74. However, the number of papers and coauthors, respectively, are most probably used in the computation of the RG Score, so these metrics are not independent.

Surprisingly, the eigenvector centrality in face-to-face proximity networks does not correlate with any of these metrics. We considered different centrality measures in the F2F-networks (such as number and lengths of contacts), with similar results (small negative non-significant correlation).

TABLE VI: Correlation of node ranks and intersection of the most important persons (for core (and whole) networks) based on different measures: F2F – based on eigenvector centrality, DBLP coauthorship – based on number of coauthors, ReserchGate network (RG) – based on RG-Score, network of webpages – based on global Google PageRank value.

		DBLP	RG	HP
F2F	Correl.	-0.04	-0.07	-0.01
	Intersec.	0.15 (0.15)	0.15 (0.05)	0.22 (0.22)
DBLP	Correl.		0.74	0.42
	Intersec.		0.7 (0.6)	0.44 (0.41)
RG	Correl.			0.42
	Intersec.			0.48 (0.32)

Furthermore, we identified the most highly ranked persons for each conference using each of the suggested rankings. We considered top 5 persons obtained from different networks except for the homepage dataset. For that, we adjusted for ties when collecting the top persons according to their homepages’ pagerank. Then, we compared the top ranked nodes with each other. Particularly, we computed intersections for each pair

⁵<https://www.researchgate.net/publicprofile.RGScoreFAQ.html>




Fig. 1: Precision-recall curves for retrieving existing F2F links from paper, homepage, or RG data. Graph (a) is evaluated on all pairs of conference attendees for which all data is available. Graph (b) further disregards pairs of known coauthors.

of conferences, cf. Table VI. These intersections show how accurately it is possible to predict “important persons” in one network based on data from another network. We computed rankings for the both core and whole networks. The results are similar to the rank correlation: the intersections between ResearchGate, DBLP and homepages rankings are higher than intersections of the Face-to-Face proximity networks with each of these networks. However, the top-ranked persons from face-to-face networks are better predictable than we could suggest based on correlations between the rankings, cf. Table VI. Another interesting observation is that comparing the whole networks did not have a crucial influence on the results in most cases. This can be explained by the fact that “important persons” tend to be active in different networks, e. g., having different online and offline manifestations representing their research profiles, interests and publications.

3) *Online and Offline Content for Estimating F2F*: We analyze the qualities of online and offline data for indicating the existence of face-to-face contacts. This task corresponds to the cold start link prediction problem [22] for social networks. Given online and offline data, our goal is to retrieve those pairs of conference co-attendees for which a face-to-face contact has been observed at a conference.

We rank all pairs of persons that co-attended a conference by the persons’ descending cosine-similarity in five different vectorspaces. We hypothesize, that we find many truly observed F2F contacts early in these rankings. For the first vectorspace, we represent persons by boolean vectors of their selected ResearchGate disciplines. For the second vectorspace, persons are represented by the sums of bag-of-words vectors built from all their homepages. The other three vectorspaces are based on the data of the persons’ publications. We tried bag-of-words vectorspaces from paper full-texts, only abstracts, and only titles. Each vector which represents a person is constructed by summing over the bag-of-words vectors of all the person’s publications or homepages. We applied stemming [27] and stopword removal to publication and homepage data.

We compare the predictive qualities of the rankings from each of these vectorspaces with respect to all four conferences. In particular, we apply microaveraging to the rankings of each vectorspace, i.e., we construct a single multi-conference cosine-ordered ranking for each vectorspace and use this ranking for evaluation. Each triple consists of a conference and two attendees of that conference and is mapped to either “observed” or “not observed” by the respective conference F2F-dataset. We concentrate on those 66 persons, for whom we have data in all of the five vectorspaces, i.e. we know at least one full-text, at least one abstract, at least one title, at least one RG discipline and at least one homepage. For these 66 persons, the dataset contains 1997 full-texts, 1858 abstracts and 3 461 titles in total.

Figure 1a shows the precision and recall curves for retrieving truly observed F2F contacts. The graph indicates that none of the content networks is a good proxy for the face-to-face contact network. Intuitively, this can be explained by many other thinkable reasons to talk to each other aside from similar homepages, publications, or disciplines. Nevertheless, the comparison to the random baseline reveals that utilizing this information is clearly better than not knowing anything. Figure 1a further indicates that retrieving the observed F2F contacts among all pairs of conference co-attenders works comparably well using information from homepages, publication titles or abstracts. At low recall levels, title data yields slightly more precise results. Conversely, ResearchGate disciplines seem to be too broad concepts for achieving high-precision at low recall, but such information works relatively well at higher recall levels.

Because coauthors share publications, their publication based bag-of-words models naturally become more similar. This may also hold for homepages, which frequently contain publication lists. In a second evaluation setup, we examine to what extent the small amount of recall achieved with high precision in Figure 1a can be explained by highly ranked pairs of coauthors. Figure 1b is the result of an evaluation that disregards all coauthor pairs. The graph shows that the

TABLE VII: Examples of descriptions of subgroups of users that connect in Research Gate (RG) online, after at least one offline face-to-face (F2F) contact at a conference, and subgroups of users that do not connect.

#	Target	Subgroup Description	Support	Confidence	Lift
1	Connection in RG	Eigenvector centrality (F2F) > 0.28 (high)	0.21	1.00	1.42
2	Connection in RG	At least one RG CS discipline and contact fraction > 46%	0.17	1.00	1.42
3	Connection in RG	Number of DBLP coauthors > 67 (high)	0.22	0.96	1.36
4	Connection in RG	Only RG CS disciplines and Google Pagerank > 3	0.32	0.86	1.22
5	Connection in RG	At least one RG CS discipline	0.80	0.80	1.14
6	No RG Connection	No RG CS disciplines and Eigenvector centrality (F2F) < 0.1 (low)	0.14	0.80	2.70
7	No RG Connection	No RG CS disciplines	0.20	0.68	2.30
8	No RG Connection	Number of RG views < 547 (low)	0.19	0.62	2.08
9	No RG Connection	Number of RG publications < 10 (low)	0.22	0.54	1.82
10	No RG Connection	Eigenvector centrality (F2F) < 0.1 (low)	0.50	0.46	1.56

accuracy of all models drops when coauthor pairs are not evaluated. Yet, the accuracies of the two models from online data drop less than those of paper based models. Homepage data works best for identifying F2F-contacts of non-coauthors. Even ResearchGate disciplines work slightly better than paper data on this subtask. An explanation could be that homepages and ResearchGate disciplines more concisely describe rough topics of research interests and that such interests are important features for guessing F2F contacts between non-coauthors. Furthermore, homepages are likely to be similar if they belong to the same institution and people from the same institution may be expected to talk to each other with increased probability.

4) *Summary:* Concluding the Analyses of Section V, it turned out that there is no definite answer as to whether links and ranks in online networks are good indicator for existing the same links and ranks in the offline networks (Q2). Same as for Q1, we observed strong implications between the DBLP and the RG networks in Section V-B1. We also could identify highly ranked (important) persons. However, the eigenvector centrality ranking of face-to-face networks did not show any significant correlation with rankings from the other networks; thus, these implications are not general.

In Section V-B3, we considered cold start link prediction for face-to-face networks, an example of a practical application of online information for guessing offline data. We found that information from all the networks can be used to find a small amount of the F2F contacts with high precision and most of the contacts with clearly better precision than picking links randomly. Interestingly, we found that online data on homepages and in ResearchGate disciplines is better suited for discovering F2F links of non-coauthors than offline paper data.

C. Characteristics of Good Proxies (Q3)

In the following, we analyze features of actors in order to obtain descriptions of certain classes of actors which are *good* or *bad* proxies w.r.t. indicating online to offline interactions. We consider both the *network* and *content* data separately.

For the network data, we aim to characterize classes of actors for which online connections act as good (or bad) proxies for offline interactions. Particularly we do the following experiment. We divide in two groups all persons who had at least one contact of face-to-face proximity during a given conference and a ResearchGate account. The first group are the persons who have at least one connection in the

RG network with another person who visited the conference (the person is a member of core network, cf. Section IV-E). The second group are the rest of conference participants – those who do not have connections with other participants in ResearchGate. Thus we want to characterize persons who’s offline interactions are not discoverable online and vice versa. For that purpose, we applied subgroup discovery [6], [35] for identifying subgroups of actors that are characterized by certain descriptive features. We use descriptive information from the presented datasets to identify subgroups of users with properties as mentioned earlier. Exemplary results of our analysis are shown in Table VII.

We found interesting properties typical for one or another group. Persons with online connections have, for example, high eigenvector centrality in the face-to-face networks (row 1 in the table), high contact fraction with the participants of the conference (row 2), high number of DBLP coauthors (row 3) and high homepage PageRank (row 4). Therefore, the features which associate with importance and connectedness tend to characterize good proxies. This is in line with our conclusions for Q1 and Q2. Another interesting observation is that computer scientists who visited the conferences tend to socialize more online than non-computer scientists who visited these conferences (rows 2, 5, 6, 7). Online networks seem to be “bad proxies” for persons with a low eigenvector centrality (rows 6, 10). Also, a low number of RG views as well as a low number of publications (rows 8-9) are indicative.

We also analyzed the matching of the textual content of the homepages of individual scientists with the textual content of their papers. Therefore, we constructed binary variables (as target concepts) indicating a high/low similarity according to the cosine measure of the respective bag-of-word representations. Here, we observe similar important features for good (and bad) proxies as discussed above, e. g., Google PageRank, the number of publications, or the selected ResearchGate disciplines.

Answering the Q3 we found some interesting properties that can explain the nature of proxies of different quality. We used subgroup discovery to find these properties. The presented insights correspond with the results of previous experiments.

VI. CONCLUSIONS

In this paper, we analyzed *online* and *offline* social networks and their content. We investigated whether information from online sources can be used as a proxy for the offline world, specifically for researchers in the area of computer

science. For that, our results indicate that in many cases online and offline datasets still have structural differences at large. However, strong ties seem to correlate better than weak ones and for “important persons” there are proxy relations between online and offline worlds, also observed in characteristic subgroups. We also observed examples of a successful application of online data for offline scenarios, specifically relating to the analysis of content and characteristic subgroups. These observations show that the considered online data may be not an ideal proxy for offline information in all tasks but still provide some important indications about the offline relationships.

As a vast amount of research is made using data collected online, the further investigation and qualitative user studies are needed to understand when the data from online sources may represent offline settings in general. Furthermore, exploration of relations between presented and further online (professional networks, e. g., LinkedIn and personal networks, e. g., Facebook) and offline (meetup or other real life social networks, e. g., Meetup.com) data. The ubiquitous systems and technologies start emerging, this should make available datasets with more participating persons and their communication in the physical world. Thus we aim to extend and generalize the presented results in the future, also towards using larger networks and richer content data.

REFERENCES

- [1] M. Atzmueller. Subgroup Discovery – Advanced Review. *WIREs: Data Mining and Knowledge Discovery*, 1144, 2015.
- [2] M. Atzmueller, M. Becker, M. Kibanov, C. Scholz, S. Doerfel, A. Hotho, B.-E. Macek, F. Mitzlaff, J. Mueller, and G. Stumme. Ubicon and its Applications for Ubiquitous Social Computing. *New Review of Hypermedia and Multimedia*, 20(1):53–77, 2014.
- [3] M. Atzmueller, D. Benz, S. Doerfel, A. Hotho, R. Jäschke, B. E. Macek, F. Mitzlaff, C. Scholz, and G. Stumme. Enhancing Social Interactions at Conferences. *it - Information Technology*, 53(3):101–107, 2011.
- [4] M. Atzmueller, D. Benz, A. Hotho, and G. Stumme, editors. *Proceedings of the LWA 2010 - Lernen, Wissen, Adaptivität*, 2010-10. Department of Electrical Engineering/Computer Science, Kassel University.
- [5] M. Atzmueller, S. Doerfel, A. Hotho, F. Mitzlaff, and G. Stumme. Face-to-Face Contacts at a Conference: Dynamics of Communities and Roles. In *Modeling and Mining Ubiquitous Social Media*, volume 7472 of *LNAI*. Springer, Berlin, 2012.
- [6] M. Atzmueller and F. Lemmerich. VIKAMINE - Open-Source Subgroup Discovery, Pattern Mining, and Analytics. In *Proc. ECML/PKDD*, volume 7524 of *LNCS*, pages 842–845, Berlin, 2012. Springer.
- [7] M. Atzmueller, F. Lemmerich, B. Krause, and A. Hotho. Who are the Spammers? Understandable Local Patterns for Concept Description. In *Proc. 7th Conference on Computer Methods and Systems*, Krakow, Poland, 2009. Oprogramowanie Nauko-Techniczne.
- [8] A. Barrat, C. Cattuto, M. Szomszor, W. V. den Broeck, and H. Alani. Social Dynamics in Conferences: Analyses of Data from the Live Social Semantics Application. In *Proceedings Intl. Semantic Web Conference*, volume 6497 of *Lecture Notes in Computer Science*, pages 17–33, 2010.
- [9] H. Blom and N. Piatkowski, editors. *Proceedings of the LWA 2012 - Lernen, Wissen, Adaptivität*. Technical University Dortmund, 2012.
- [10] P. Bonacich. Power and centrality: A family of measures. *American Journal of Sociology*, 92(5):1170–1182, 1987.
- [11] P. D. Bra and K. Grønbaek, editors. *HT’11, Proceedings of the 22nd ACM Conference on Hypertext and Hypermedia*. Eindhoven, The Netherlands, June 6-9, 2011, New York, NY, USA, 2011. ACM.
- [12] C. Brown, C. Efstratiou, I. Leontiadis, D. Quercia, and C. Mascolo. Tracking Serendipitous Interactions: How Individual Cultures Shape the Office. In *Proc. CSCW*, pages 1072–1081, 2014.
- [13] C. Cattuto, W. Van den Broeck, A. Barrat, V. Colizza, J.-F. Pinton, and A. Vespignani. Dynamics of Person-to-Person Interactions from Distributed RFID Sensor Networks. *PLoS ONE*, 5(7):e11596, 07 2010.
- [14] Christoph Scholz and Martin Atzmueller and Alain Barrat and Ciro Cattuto and Gerd Stumme. New Insights and Methods For Predicting Face-To-Face Contacts. In *Proc. ICWSM*, Palo Alto, CA, USA, 2013.
- [15] D. J. Crandall, L. Backstrom, D. Cosley, S. Suri, D. Huttenlocher, and J. Kleinberg. Inferring Social Ties from Geographic Coincidences. *Proceedings of the National Academy of Sciences*, 107(52):22436–22441, 2010.
- [16] J. Cranshaw, E. Toch, J. Hong, A. Kittur, and N. Sadeh. Bridging the Gap Between Physical Location and Online Social Networks. In *Proc. Ubicomp*, pages 119–128, New York, NY, USA, 2010. ACM Press.
- [17] G. Csardi and T. Nepusz. *Package igraph: Network analysis and visualization*, Apr. 2014.
- [18] N. Eagle, A. S. Pentland, and D. Lazer. Inferring friendship network structure by using mobile phone data. *Proceedings of the National Academy of Sciences*, 106(36):15274–15278, 2009.
- [19] L. Isella, J. Stehlé, A. Barrat, C. Cattuto, J.-F. Pinton, and W. V. den Broeck. What’s in a Crowd? Analysis of Face-to-Face Behavioral Networks. *CoRR*, 1006.1260, 2010.
- [20] M. Kibanov, M. Atzmueller, C. Scholz, and G. Stumme. Temporal Evolution of Contacts and Communities in Networks of Face-to-Face Human Interactions. *Science China*, 57, March 2014.
- [21] D. Krackhardt. QAP Partialling as a Test of Spuriousness. *Social Networks*, 9:171–186, 1987.
- [22] V. Leroy, B. B. Cambazoglu, and F. Bonchi. Cold start link prediction. In *Proc. ACM SIGKDD 2010*, pages 393–402, Washington, DC, USA.
- [23] B.-E. Macek, C. Scholz, M. Atzmueller, and G. Stumme. Anatomy of a Conference. In *Proc. Hypertext 2012*, pages 245–254, NY, USA. ACM.
- [24] C. Manning and H. Schuetze. *Foundations of Statistical Natural Language Processing*. MIT Press, 1999.
- [25] A. Mitchell and P. Hitlin. Twitter Reaction to Events Often at Odds with Overall Public Opinion. Mar. 2013. <http://www.pewresearch.org/2013/03/04/twitter-reaction-to-events-often-at-odds-with-overall-public-opinion/>, visited on 2015-01-23.
- [26] M. C. Pachucki, E. J. Ozer, A. Barrat, and C. Cattuto. Mental Health and Social Networks in Early Adolescence: A Dynamic Study of Objectively-Measured Social Interaction Behaviors. *Social Science and Medicine*, 2014.
- [27] M. Porter. An Algorithm for Suffix Stripping. *Program*, 14(3):130–137, 1980.
- [28] D. Ruths and J. Pfeffer. Social media for large studies of behavior. *Science*, 346(6213):1063–1064, 2014.
- [29] L. Sachs. *Applied Statistics*. Springer, Berlin, 1982.
- [30] K. Sailer, R. Pachilova, and C. Brown. Human versus Machine - Testing Validity and Insights of Manual and Automated Data Gathering Methods in Complex Buildings. In *Proc. 9th Intl. Space Syntax Symp.*, Seoul, Korea, 2013. Sejong Univ. Press.
- [31] T. Smieszek, V. Barclay, I. Seeni, J. Rainey, H. Gao, A. Uzicanin, and M. Salathe. How should Social Mixing be Measured: Comparing Web-based Survey and Sensor-based Methods. *BMC Infectious Diseases*, 14(1):136, 2014.
- [32] M. Spiliopoulou, A. Nürnberger, and R. Schult, editors. *Proceedings of the LWA – Lernen, Wissen, Adaptivität*. Magdeburg University, 2011.
- [33] J. Stehlé, N. Voirin, A. Barrat, C. Cattuto, L. Isella, J. Pinton, M. Quagiotto, W. Van den Broeck, C. Régis, B. Lina, and P. Vanhems. High-Resolution Measurements of Face-to-Face Contact Patterns in a Primary School. *PLOS ONE*, 6(8):e23176, 08 2011.
- [34] K. Subrahmanyam, S. M. Reich, N. Waechter, and G. Espinoza. Online and Offline Social Networks: Use of Social Networking Sites by Emerging Adults. *Journal of Applied Developmental Psychology*, 29(6):420 – 433, 2008.
- [35] S. Wrobel. An Algorithm for Multi-Relational Discovery of Subgroups. In *Proc. 1st European Symposium on Principles of Data Mining and Knowledge Discovery (PKDD-97)*, pages 78–87, Berlin, 1997. Springer.
- [36] W. Xie, C. Li, F. Zhu, E.-P. Lim, and X. Gong. When a Friend in Twitter is a Friend in Life. In *Proc. 4th Annual ACM Web Science Conference*, pages 344–347, New York, NY, USA, 2012. ACM.